

Volume 27 Number 12 December 1997

Clinical & Experimental Allergy

The Official Journal of the British Society for Allergy &
Clinical Immunology edited by A B Kay and S T Holgate



**Blackwell
Science**

Published by Blackwell Science Ltd
Osney Mead, Oxford OX2 0EL, UK.
25 John Street, London WC1N 2BL, UK.
23 Ainslie Place, Edinburgh EH3 6AJ, UK.
Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA.
Blackwell Science Pty Ltd, 54 University Street, Carlton, Victoria 3053, Australia.

Other Editorial Offices:

Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany.
Blackwell Science KK, MG Kodenmacho Building, 7-10 Kodenmacho Nihombashi, Chuo-ku,
Tokyo 104, Japan.

ISSN 0954-7894/97

Typeset and printed by the Alden Group, Oxford.

Contents

Volume 27 Number 1 January 1997

1 Obituary

Editorials:

- 4 M. A. Brown, M. J. Halonen & F. D. Martinez
Cutting the cord: is birth already too late for primary prevention of allergy?

- 7 S. L. Johnston
Bronchial hyperresponsiveness and cytokines in virus-induced asthma exacerbations

Reviews:

- 10 C. Robinson, N. A. Kalsheker, N. Srinivasan, C. M. King, D. R. Garrod, P. J. Thompson & G. A. Stewart
On the potential significance of the enzymatic activity of mite allergens to immunogenicity. Clues to structure and function revealed by molecular characterization

- 22 K. Goldring & J. Warner
Cell matrix interactions in asthma

Original Articles:

- 28 Z. Szepefalusi, I. Nentwich, M. Gerstmayr, E. Jost, L. Todoran, R. Gratzl, K. Herkner & R. Urbanek
Prenatal allergen contact with milk proteins
- 36 K. Grünberg, M. C. Timmers, H. H. Smits, E. P. A. De Klerk, E. C. Dick, W. J. M. Spann, P. S. Hiemstra & P. J. Sterk
Effect of experimental rhinovirus 16 colds on airway hyper-responsiveness to histamine and interleukin-8 in nasal lavage in asthmatic subjects in vivo
- 46 R. M. O'Brien, K. A. Byron, G. A. Varigos & W. R. Thomas
House dust mite immunotherapy results in a decrease in Der p 2-specific IFN-gamma and IL-4 expression by circulating T lymphocytes
- 52 L-P. Boulet, H. Turcotte, C. Laprise, C. Lavertu, P-M. Bédard, A. Lavoie & J. Hébert
Comparative degree and type of sensitization to common indoor and outdoor allergens in subjects with allergic rhinitis and/or asthma
- 60 M. J. Colloff, T. G. Merrett, J. Merrett, C. McSharry & G. Boyd
Feather mites are potentially an important source of allergens for pigeon and budgerigar keepers

- 68 R. Van Ree, W. A. Van Leeuwen, P. H. Dieges, R. Gerth Van Wijk, N. De Jong, P. Z. Brewczynski, A. M. Kroon, P. P. M. Schilte, K. Y. Tan, I. F. Simon-Licht, A. M. Roberts, S. O. Stapel & R. C. Aalberse
Measurement of IgG and IgG antibodies against purified grass pollen allergens (Lol p 1, 2, 3 and 5) during immunotherapy

- 75 J-L. Malo, P. Chrétien, M. McCants & S. Lehrer
Detection of snow-crab antigens by air sampling of a snow-crab production plant

- 79 H-D. Shen, W-L. Lin, S-F. Liaw, M. F. Tam & S-H. Han
*Characterization of the 33-kilodalton major allergen of *Penicillium citrinum* by using MoAbs and N-terminal amino acid sequencing*

- 87 P. Lintu, F. Savolainen & K. Kalimo
*IgE antibodies to protein and mannan antigens of *Pityrosporum ovale* in atopic dermatitis patients*

- 96 G. Rolla, C. Bucca, L. Brussino, L. Dutto, P. Colagrande & S. Polizzi
Pentoxifylline attenuates LPS-induced bronchial hyper-responsiveness, but not the increase in exhaled nitric oxide

- 104 M. Fujimura, S. Myou, T. Amemiya, H. Tachibana, T. Kita & T. Matsuda
Peptide leukotrienes mediate acetaldehyde-induced bronchial hyperresponsiveness in guinea pigs

- 110 Y. Tohda, S. Nakajima, T. Shizawa, S. Ohmori, H. Satoh, T. Ishii & T. Kamitani
The inhibitory effect of TMK688, a novel anti-allergic drug having both 5-lipoxygenase inhibitory activity and anti-histamine activity, against bronchoconstriction, leukotriene production and inflammatory cell infiltration in sensitized guinea pigs

- 119 Acknowledgements

- 122 Forthcoming meetings

- 123 Forthcoming articles

Volume 27 Number 2 February 1997

Editorial:

- 125 C. McSharry
Oilseed rape sensitivity

Reviews:

- 128 P. G. M. Bloemen, P. A. J. Henricks & F. P. Nijkamp
Cell adhesion molecules and asthma

- 142 N. Krug & A. J. Frew
The Th2 cell in asthma: initial expectations yet to be realised

Original articles:

- 151 D. P. Strachan, L. S. Harkins & J. Golding
Sibship size and self-reported inhalant allergy among adult women
- 156 W. Hemmer, M. Focke, F. Wantke, S. Jäger, M. Götz & R. Jarisch
Oilseed rape pollen is a potentially relevant allergen
- 162 E. Varjonen, E. Vainio & K. Kalimo
Life-threatening, recurrent anaphylaxis caused by allergy to gliadin and exercise
- 167 R. Leung, A. Ho, J. Chan, D. Choy & C. K. W. Lai
Prevalence of latex allergy in hospital staff in Hong Kong
- 175 B. Nyfeler & W. J. Pichler
The lymphocyte transformation test for the diagnosis of drug allergy: sensitivity and specificity
- 182 G. Ciprandi, S. Buscaglia, A. Catrullo, G. Pesce, N. Fiorino, P. Momtagna, M. Bagnasco & G. W. Canonica
Azelastine eye drops reduce and prevent allergic conjunctival reaction and exert anti-allergic activity
- 192 J. Van Schoor, J. H. Toogood & R. A. Pauwels
Differential effects of inhaled budesonide and oral prednisolone on serum immunoglobulin G and its subclasses in healthy adult volunteers
- 196 S. Spitzauer, R. Valenta, S. Muhl, H. Rumpold, H. Ebner & C. Ebner
Characterization of allergens from deer: cross-reactivity with allergens from cow dander
- 201 C. R. A. Hewitt, H. Horton, R. M. Jones & D. I. Pritchard
Heterogeneous proteolytic specificity and activity of the house dust mite proteinase allergen Der p 1
- 208 M. I. C. Gaspar Elsas, P. Xavier Elsas, D. Joseph, N. Havet, L. A. Adelino Da Silva, D. R. Salgado, B. B. Saliou & B. B. Vargaftig
Stimulation of early eosinophil progenitors by a heat stable alveolar macrophage product from ovalbumin-sensitized and non-sensitized guinea pigs
- 218 H. Nagai, Y. Maeda & H. Tanaka
The effect of anti-IL-4 monoclonal antibody, rapamycin and interferon- γ on airway hyperreactivity to acetylcholine in mice
- 225 K. Sawada, H. Nagai, Y. Basaki, H. Yamaya, K. Ikizawa, M. Watanabe, M. Kojima, N. Matsuura & M. Kuniwa
The expression of murine cutaneous late phase reaction requires both IgE antibodies and CD4 T cells
- 232 Forthcoming meetings
- 233 Forthcoming articles

Volume 27 Number 3 March 1997

Editorials:

- 235 D. Strachan
Allergy and family size: a riddle worth solving
- 237 A. J. Frew, S. S. Salvi
Diesel exhaust particles and respiratory allergy

Original articles:

- 240 D. Jarvis, S. Chinn, C. Luczynska & P. Burney
The association of family size with atopy and atopic disease
- 246 R. B. Knox, C. Suphioglu, P. Taylor, R. Desai, H. C. Watson, J. L. Peng & L. A. Bursill
Major grass pollen allergen Lol p 1 binds to diesel exhaust particles: implications for asthma and air pollution
- 252 L. K. Dotterud, T. D. Van, B. Kvammen, T. Dybendal, S. Elsayad & E. S. Falk
Allergen content in dust from homes and schools in northern Norway in relation to sensitization and allergy symptoms in schoolchildren
- 262 Z. Toros, Selçuk, T. Çağlar, T. Enünlü & T. Topal
The prevalence of allergic diseases in primary school children in Edirne, Turkey
- 270 L. G. Sensi, A. Seri, A. Siracusa, L. Pertici & F. Marcucci
Allergic rhinitis in children: effects of flunisolide and disodium cromoglycate on nasal eosinophil cationic protein
- 277 Y. Sütas, M. Hurme & E. Isolauri
Oral cow milk challenge abolishes antigen-specific interferon-production in the peripheral blood of children with atopic dermatitis and cow milk allergy
- 284 L. J. Petersen, M. K. Church & P. Sthäl Skov
Histamine is released in the wheal but not the flare following challenge of human skin in vivo: a microdialysis study
- 296 J. Duchateau, A. Michils, O. Michel & L. Baras
Mite allergy is associated with specific profile of IgG epitopes recognized on antigen p1 of Dermatophagoides pteronyssinus

- 306 D. Wang, G. M. Levasseur-Acker, R. Jankowski, G. Kanny, D. A. Moneret-Vautrin, D. Charron, A. Lockhart & E. Swierczewski
HLA class II antigens and T lymphocytes in human nasal epithelial cells. Modulation of the HLA class II gene transcripts by gamma interferon
- 315 Y.-H. Chuang, B.-L. Chiang, C.-C. Chou & K.-H. Hsieh
Immune effector cells induced by complete Freund's adjuvant exert inhibitory effect on antigen-specific type 2 T helper responses
- 325 H. Awazuha, H. Kawai & N. Maruchi
Major allergens in soybean and clinical significance of IgG4 antibodies investigated by IgE- and IgG4-immunoblotting with sera from soybean-sensitive patients
- 333 R. Leung, A. Ho, J. Chan, D. Choy & C. K. W. Lai
Royal jelly consumption and hypersensitivity in the community
- 337 K. Kurashima, M. Fujimura, M. Tsujiura & T. Matsuda
Effect of surfactant inhalation on allergic bronchoconstriction in guinea pigs
- Correspondence:**
- 343 F. Wantke, W. Hemmer, M. Götz & R. Jarisch
Adverse reactions to alcoholic beverages: a diagnostic guideline
- 344 Forthcoming meetings
- 345 Forthcoming articles
- Volume 27 Number 4 April 1997**
- Editorials:**
- 347 F. P. Nijkamp & G. Folkerts
Nitric oxide: initiator and modulator
- 351 T. Haahtela
Airway remodelling takes place in asthma—what are the clinical implications
- Review:**
- 354 V. C. Tubiolo & G. N. Beall
Dog allergy: understanding our 'best friend'?
- Original articles:**
- 358 J.-F. Arnal, A. Didier, J. Rami, C. M'Rini, J.-P. Chcarlet, E. Serrano & J.-P. Bescombes
Nasal nitric oxide is increased in allergic rhinitis
- 363 J. W. Wilson & X. Li
The measurement of reticular basement membrane and submucosal collagen in the asthmatic airway
- 372 H. Fujishima, M. Takeyama, T. Takeuchi, I. Saito & K. Tsubota
Elevated levels of substance P in tears of patients with allergic conjunctivitis and vernal keratoconjunctivitis
- 379 P. Gosset, I. Tillie-Leblond, F. Malaquin, J. Durieu, B. Wallaert & A. B. Tonnel
Interleukin-8 secretion in patients with allergic rhinitis after an allergen challenge: interleukin-8 is not the main chemotactic factor present in nasal lavages
- 389 A. Magnan, F. Retornaz, A. Tsicopoulos, J. Brisse, D. Van Pee, P. Gosset, A. Chamlian, A. B. Tonnel & D. Vervolet
Altered compartmentalization of transforming growth factor- β in asthmatic airways
- 396 L. M. Teran, M. G. Campos, B. T. Begishvili, J.-M. Schröder, R. Djukanovic, J. K. Shute, M. K. Church, S. T. Holgate & D. E. Davies
Identification of neutrophil chemotactic factors in bronchoveolar lavage fluid of asthmatic patients
- 406 R. B. Moss, H. Nagata, J. Goff, K. Okobu, J. Hausefeld & M. A. Kaliner
Constitutive mRNA immunoreactivity for IL-2 in human nasal mucosa
- 413 F. Porri, C. Lemiere, J. Birnbaum, L. Guilloux, A. Lanteaume, R. Didelot, D. Vervloet & D. Charpin
Prevalence of latex sensitization in subjects attending health screening; implications for a perioperative screening
- 418 J. C. Garcia-Robaina, F. De La Torre-Mmorin, C. Vazquez-Moncholi, J. Fierro & C. G. Bonnet-Moreno
The natural history of Apis specific IgG and IgG4 in beekeepers
- 424 R. Codina, R. F. Lockey, E. Fernández-Caldas & R. Rama
Purification and characterization of a soybean hull allergen responsible for the Barcelona asthma outbreaks II. Purification and sequencing of the Gly m 2 allergen
- 431 H. Okada, T. Ohnishi, M. Hirashima, J. Fujita, Y. Yamaji, J. Takahara & T. Todani
Anti-asthma effect of an antiviral drug, acyclovir: a clinical case and experimental study
- 438 L. Greiff, M. Andersson, C. Svensson & C. G. A. Persson
Topical azelastine has a 12-hour duration of action as assessed by histamine challenge-induced exudation of α_2 -macroglobulin into human nasal airways
- 445 H. Thorlacius, L. Lindbom, P. Hendqvist & J. Raud
Microvascular actions of histamine: synergism with leukotriene B₄ and role in allergic leucocyte recruitment

- 452 A. M. Dvorak, D. W. Macglashan, J. A. Warner, L. Letourneau, E. S. Morgan, L. M. Lichtenstein & S. J. Ackerman
Localization of Charcot-Leyden crystal protein in individual morphological phenotypes of human basophils stimulated by f-Met peptide
- 475 Forthcoming meetings
- 476 Forthcoming articles

Volume 27 Number 5 May 1997

Editorial:

- 479 S. Gordon
Allergy to furred animals

Reviews:

- 482 G. M. Walsh
Mechanisms of human eosinophil survival and apoptosis
- 488 M. Ricci, A. Matucci & O. Rossi
Source of IL-4 able to induce the development of TH₂-like cells

Original articles:

- 501 J. Savolainen, J. Uitti, L. Halmepuro & H. Nordman
IgE response to fur animal allergens and domestic animal allergens in fur farmers and fur garment workers
- 510 P. Piirilä, T. Estlander, H. Keskinen, R. Jolanki, A. Laakkonen, P. Pfäffli, O. Tupasela, M. Tuppurainen & H. Nordman
Occupational asthma caused by triglycidyl isocyanurate (TGIC)
- 515 M. Räsänen, T. Laitinen, J. Kaprio, M. Koskenvuo & L. A. Laitinen
Hay fever, asthma and number of older siblings—a twin study
- 519 A. M. J. Wever, J. Wever-Hess & J. Hermans
The use of serum eosinophil cationic protein (ECP) in the management of steroid therapy in chronic asthma
- 530 H. A. Ferdousi & S. Dreborg
Asthma, bronchial hyperreactivity and mediator release in children with birch pollinosis. ECP and EPX levels are not related to bronchial hyperreactivity

- 540 C. K. W. Lai, J. K. W. Chan, A. Chan, G. Wong, A. Ho, D. Choy, J. Lau & R. Leung
Comparison of the ISAAC video questionnaire (AVQ 3.0) with the ISAAC written questionnaire for estimating asthma associated with bronchial hyperreactivity
- 546 J. Hill, S. Lewis & J. Britton
Studies of the effects of inhaled magnesium on airway reactivity to histamine and adenosine monophosphate in asthmatic subjects
- 552 H. Hallén, J. Eenerdal & P. Graf
Fluticasone propionate nasal spray is more effective and has a faster onset of action than placebo in treatment of rhinitis medicamentosa
- 559 A. Genovese, V. Patella, G. De Crescenzo, A. De Paulis, G. Spadaro & G. Marone
Loratadine and desethoxycarbonyl-loratadine inhibit the immunological release of mediators from human FCεRI⁺ cells
- 568 J. Xu & N. S. Zhong
The interaction of tumour necrosis factor alpha and endothelin-1 in the pathogenetic models of asthma
- 574 J. W. Dekker, E. Nizankowska, M. Schmitz-Schumann, K. Pile, G. Bochenek, A. Dyczek, W. O. C. M. Cookson & A. Szczeklik
Aspirin-induced asthma and HLA-DRB1 and HLA-DPBI genotypes
- 578 J. A. Faux, M. F. Moffatt, A. Lalvani, J. Dekker, D. A. Warrell & W. O. C. Cookson
Sensitivity to bee and wasp venoms: association with specific IgE responses to the bee and wasp venom and HLA DRB1 and DPBI
- 584 A. Zargari, A. Emilson, G. Halldén, S. Johansson & A. Scheynius
Cell surface expression of two major yeast allergens in the Pityrosporum genus
- 593 A. M. Smith & M. D. Chapman
Localization of antigenic sites on Der p 2 using oligonucleotide-directed mutagenesis targeted to predicated surface residues
- 600 Forthcoming meetings
- 601 Forthcoming articles

Volume 27 Number 6 June 1997

Editorial:

- 603 S. Gordon
Occupational sensitization to laboratory animals

Review:

- 606 S. D. Crowther, I. D. Chapman & J. Morley
Heterogeneity of airway hyperresponsiveness

Original articles:

- 617 A. Hollander, P. Van Run, J. Spithoven, D. Heederik & G. Doekes
Exposure of laboratory animal workers to airborne rat and mouse urinary allergens
- 627 S. Van Der Heide, J. G. R. De Monchy, K. De Vries, A. E. J. Dubois & H. F. Kauffman
Seasonal differences in airway hyperresponsiveness in asthmatic patients: relationships with allergen exposure and sensitization to house dust mites
- 634 J. O'B Hourihane, S. A. Kilburn, P. Dean & J. O. Warner
Clinical characteristics of peanut allergy
- 640 J. Delgado, J. C. Orta, A. M. Navarro, J. Conde, A. Martinez, J. Martinez & R. Palacios
*Occupational allergy in greenhouse workers: sensitization to *Tetranychus urticae**
- 646 K. Storm Van's Gravesande, M. Moseler & J. Kuehr
The most common phenotypes of sensitization to inhalant allergens in childhood
- 653 T. Brunnée, S. R. Reddigari, Y. Shibayama, A. P. Kaplan & M. Silverberg
Mast cell derived heparin activates the contact system: a link to kinin generation in allergic reactions
- 664 K. Tomita, T. Tanigawa, H. Yajima, H. Sano, K. Fukutani, Y. Hitsuda, Y. Matsumoto & T. Sasaki
Expression of adhesion molecules on mononuclear cells from individuals with stable atopic asthma
- 672 P. Demoly, L. Crampette, M. Mondain, I. Enander, I. Jones & J. Bousquet
Myeloperoxidase and interleukin-8 levels in chronic sinusitis
- 676 D.-H. Nahm & H.-S. Park
Correlation between IgA antibody and eosinophil cationic protein levels in induced sputum from asthmatic patients
- 682 H.-D. Shen, L.-C. Au, W.-L. Lin, S.-F. Liaw, J.-J. Tsai & S.-H. Han
*Molecular cloning and expression of a *Penicillium citrinum* allergen with sequence homology and antigenic crossreactivity to a hsp 70 human heat shock protein*
- 691 E. Johansson, M. Schmidt, S. G. O. Johansson, L. Machado, S. Olsson & M. Van Hage-Hamsten
*Allergenic crossreactivity between *Lepidoglyphus destructor* and *Blomia tropicalis**
- 700 R. Ferrándiz, R. Casas & S. Dreborg
*Purification and IgE binding capacity of Der s 3, a major allergen from *Dermatophagoides siboney**

- 705 T. Ando, H. Kume, Y. Urata & K. Takagi
Effects of JTV-506, a new K^+ channel activator, on airway smooth muscle contraction and systemic blood pressure

Correspondence:

- 714 S. Gordon, M. G. Jones, R. D. Tee & A. J. Newman-Taylor
Review: The biochemistry of common aeroallergens
- 716 Book reviews
- 717 Forthcoming meetings
- 718 Forthcoming articles

Volume 27 Number 7 July 1997

Editorial:

- 721 A. Papi
Epithelial ICAM-1 regulation and its role in allergy

Original articles:

- 725 K. M. Venables, U. Allitt, C. G. Collier, J. Emberlin, J. B. Greig, P. J. Hardaker, J. H. Higham, T. Laing-Morton, R. L. Maynard, V. Murray, D. Strachan & R. D. Tee
Thunderstorm-related asthma — the epidemic of 24/25 June 1994
- 737 M. Bagnasco, G. Pesce, N. Fiorino, A. M. Riccio, G. Ciprandi, S. Buscaglia & G. W. Canonica
In situ hybridization analysis of ICAM-1 (CD54) on mRNA on conjunctival epithelium during allergic inflammation
- 744 S. Gordon, J. Wallace, A. Cook, R. D. Tee & A. J. Newman Taylor
Reduction of exposure to animal allergens in the workplace
- 752 R. L. Bergmann, G. Edenharter, K. E. Bergmann, I. Guggenmoos-Holzmänn, J. Forster, C. P. Bauer, V. Wahn, F. Zepp & U. WAHN
Predictability of early atopy by cord blood-IgE and parental history
- 761 Y. Y. Kim, S. H. Cho, W. K. Kim, J. K. Park, S. H. Song, Y. K. Kim, Y. K. Jee, M. N. Ha, Y. O. Ahn, S. I. Lee & K. U. Min
Prevalence of childhood asthma based on questionnaires and methacholine bronchial provocation test in Korea

- 769 D. C. Grootendorst, J. K. Sont, L. N. A. Willems, J. C. Kluin-Nelemans, J. H. J. M. Van Krieken, M. Veselic-Charvat & P. J. Sterk
Comparison of inflammatory cell counts in asthma: induced sputum vs bronchoalveolar lavage and bronchial biopsies
- 780 C. Leonard, V. Tormey, J. Faul, C. M. Burke & L. W. Poulter
Allergen-induced CD30 expression on T cells of atopic asthmatics
- 787 E. Haen, U. Bleise & B. Przybilla
Some alterations of the leucocyte β_2 -adrenoceptor/cAMP-system in patients with seasonal allergic rhinoconjunctivitis are related to disease activity
- 796 H. M. Blom, J. B. Van Rijswijk, I. M. Garrelds, P. G. H. Mulder, T. Timmermans & R. Gerth Van Wijk
Intranasal capsaicin is efficacious in non-allergic, non-infectious perennial rhinitis. A placebo-controlled study
- 802 M. Liu, L. Wang, B. A. Holm & G. Enhörning
Dysfunction of guinea-pig pulmonary surfactant and type II pneumocytes after repetitive challenge with aerosolized ovalbumin
- 808 S. Gabriellsson, S. Paulie, S. Rak, E. Lagging, M. Van Hage-Hamsten, B. Härfast & M. Troye-Blomberg
Specific induction of interleukin-4-producing cells in response to in vitro allergen stimulation in atopic individuals
- 816 O. Coqueret, E. Boichot & V. Lagente
Selective type IV phosphodiesterase inhibitors prevent IL-4-induced IgE production by human peripheral blood mononuclear cells
- 824 H.-D. Shen, W.-L. Lin, L.-C. Tsai, M. F. Tam., K.-Y. Chua, H.-L. Chen, K.-H. Hsieh, C.-S. Li & W. R. Thomas
Characterization of the allergen Der f 7 from house dust mite extracts by species-specific and cross-reactive monoclonal antibodies
- 833 R. I. Monsalve, M. A. González De La Peña, C. López-Otín, A. Fiandor, C. Fernández, M. Villalba & R. Rodríguez
Detection, isolation and complete amino acid sequence of an aeroallergenic protein from rapeseed flour
- 842 A. Jondet, M. Gogny, A. T. Vu, M. Blin & J.-C. Bidon
Loss of nitric oxide release in passively sensitized guinea-pig aorta with purified immunoglobulin G1
- 850 Forthcoming meetings
- 851 Forthcoming articles

Volume 27 Number 8 August 1997

Editorials:

- 853 M. Larché
T-cell responses to house dust mites: bad news for immunotherapy?
- 856 R. Leung & C. K. W. Lai
The importance of domestic allergens in a tropical environment

Rapid publication:

- 860 V. A. Varney, J. Edwards, K. Tabbah, H. Brewster, G. Mavroleon & A. J. Frew
Clinical efficacy of specific immunotherapy to cat dander: a double-blind placebo-controlled trial

Original articles:

- 868 B. J. Hales & W. R. Thomas
T-cell sensitization to epitopes from house dust mites Dermatophagoides pteronyssinus and Euroglyphus maynei
- 876 L. Zhang, F. T. Chew, S. Y. Soh, F. C. Yi, S. Y. Law, D. Y. T. Goh & B. W. Lee
Prevalence and distribution of indoor allergens in Singapore
- 886 T. Nicolai, B. Bellach, E. v Mutius, W. Thefeld & H. Hoffmeister
Increased prevalence of sensitization against aeroallergens in adults in West compared with East Germany
- 893 S. F. Kemp, R. F. Lockey, E. Fernández-Caldas & L. G. Arlian
Skin test and crossreactivity studies with Euroglyphus maynei and Dermatophagoides pteronyssinus
- 898 D. W. Vickers, L. Maynard & P. W. Ewan
Management of children with potential anaphylactic reactions in the community: a training package and proposal for good practice
- 904 G. Passalacqua, M. Albano, C. Pronzato, A. M. Riccio, A. Scordamaglia, P. Falagiani & G. W. Canonica
Long-term follow-up of nasal immunotherapy to Parietaria: clinical and local immunological effects
- 909 S. Kivity, A. Onn, O. Agami & E. Fireman
The in vitro and in vivo effect of corticosteroids on basophil releasability in patients with mild and severe bronchial asthma
- 915 U. Müller, M. Fricker, D. Wymann, K. Blaser & R. Cramer
Increased specificity of diagnostic tests with recombinant major bee venom allergen phospholipase A2

- 921 H. S. M. Kort, G. Schober, L. G. H. Koren & J. Scharringa
Mould-devouring mites differ in guanine excretion from dust-eating Acari, a possible error source in mite allergen exposure studies
- 926 J. Rámirez, J. A. Carpizo, H. Ipsen, J. Carreira & M. Lombardero
Quantification in mass units of Bet v 1, the main allergen of Betula verrucosa pollen, by a monoclonal antibody based-ELISA
- 932 S. H. Sparholt, J. N. Larsen, H. Ipsen, C. Schou & R. J. Joost Van Neervan
Crossreactivity and T-cell epitope specificity of Bet v 1-specific T cells suggest the involvement of multiple isoallergens in sensitization to birch pollen
- 942 N. Benlounes, C. Dupont, C. Candalh, M.-A. Blaton, M. Bloom & M. Heyman
Effect of terfenadine on TNF α release from peripheral blood mononuclear cells during cow's milk allergy
- 949 A. Plebani, P. Restani, A. Naselli, C. L. Galli, A. Meini, G. Cavagni, A. G. Ugazio & C. Poiesi
Monoclonal and polyclonal antibodies against casein components of cow milk for evaluation of residual antigenic activity in 'hypoallergenic' infant formulas
- 957 L. J. Petersen, K. Winge, E. Brodin & P. S. Skov
No release of histamine and substance P in capsaicin-induced neurogenic inflammation in intact human skin in vivo: a microdialysis study
- 966 H. Amano, M. Kurosawa & Y. Miyachi
Inhibition of substance P-induced histamine release from rat peritoneal mast cells by ultraviolet light B irradiation: decreased intracellular calcium as a partial mechanism
- 972 J. Tamaoki, A. Chiyotani, H. Takemura & K. Konno
5-Hydroxytryptamine inhibits Na absorption and stimulates Cl secretion across canine tracheal epithelial sheets
- 978 Forthcoming meetings
- 979 Forthcoming articles
- 991 C. Hogg & A. Bush
Childhood asthma — all that wheezes is not inflammation
- Debate:**
- 995 S. Pedersen, J. O. Warner & J. F. Price
Early use of inhaled steroids in children with asthma
- Original articles:**
- 1007 C. Ebner, U. Siemann, B. Bohle, M. Willheim, U. Wiedermann, S. Schenk, F. Klotz, H. Ebner, D. Kraft & O. Scheiner
Immunological changes during specific immunotherapy of grass pollen allergy: reduced lymphoproliferative responses to allergen and shift from TH₂ to TH₁ in T-cell clones specific for Ph1 p 1, a major grass pollen allergen
- 1016 R. Kämmerer, A. Kettner, Y. Chvatchko, N. Dufour, J.-M. Tiercy, G. Corradin & F. Spertini
Delineation of PLA₂ epitopes using short or long overlapping synthetic peptides: interest for specific immunotherapy
- 1027 E. C. Stevenson, G. Turner, L. G. Heaney, B. C. Schock, R. Taylor, T. Gallagher, M. Ennis & M. D. Shields
Bronchoalveolar lavage findings suggest two different forms of childhood asthma
- 1036 A. Michils, C. Ledent, M. Mairesse, B. Gossart & J. Duchateau
Wasp venom immunotherapy changes IgG antibody specificity
- 1043 L. Brinkman, M. M. Aslander, J. A. M. Raaijmakers, J.-W. J. Lammers, L. Koenderman & C. A. F. M. Bruijnzeel-Koomen
Bronchial and cutaneous responses in atopic dermatitis patients after allergen inhalation challenge
- 1052 G. Di Lorenzo, P. Mansueto, M. Melluso, G. Morici, F. Norrito, M. Esposito Pellitteri, A. Di Salvo, A. Colombo, G. Candore & C. Caruso
Non-specific airway hyperresponsiveness in mono-sensitive Sicilian patients with allergic rhinitis. Its relationship to total serum IgE levels and blood eosinophils during and out of the pollen season
- 1060 D. F. Anderson, J. D. A. Macleod, S. M. Baddeley, A. S. Bacon, J. I. McGill, S. T. Holgate & W. R. Roche
Seasonal allergic conjunctivitis is accompanied by increased mast cell numbers in the absence of leucocyte infiltration
- 1067 L. F. A. DE Swert, K. M. I. A. Van Laer, C. M. A. Verpoorten, E. M. Van Hoeyveld, P. Cadot & E. A. M. Stevens
Determination of independent risk factors and comparative analysis of diagnostic methods for immediate type latex allergy in spina bifida patients

Volume 27 Number 9 September 1997

Editorials:

- 981 S. Till
Immunotherapy: readdressing the balance between TH₂ and TH₁ cells
- 986 S. M. McHugh
To bee or not to be? T-cell responses to bee venom PLA₂ in relation to anaphylaxis and immunotherapy

- 1077 K. Wickens, R. Siebers, I. Ellis, S. Lewis, G. Sawyer, S. Tohill, L. Stone, R. Kent, J. Kennedy, T. Slater, A. Crothall, H. Trethowen, N. Pearce, P. Fitzharris & J. Crane
Determinants of house dust mite allergen in homes in Wellington, New Zealand
- 1086 S. Fujii, K. Ono, A. Tukeuchi, T. Aki, S. Shigeta, O. Suzuki, T. Jyo & U. Yamashita
Identification of T-cell epitope sequences on an important mite antigen
- 1095 J. Schuurman, G. J. Perdok, G. A. Mueller, D. C. Benjamin, K. Yong Tan, M. D. Chapman & R. C. Aalberse
Mouse/human chimeric IgG1 and IgG4 antibodies directed to the house dust mite allergen Der p 2: use in quantification of allergen specific IgG
- 1103 S. Nakamoto, K. Ukai & Y. Sakakura
Effect of allergen immunotherapy on nasal responses in guinea-pigs with allergic rhinitis
- 1109 Forthcoming meetings
- 1110 Forthcoming articles

Volume 27 Number 10 October 1997

Editorial:

- 1111 J. Savolainen
Baker's asthma: diversity of allergens

Review:

- 1114 J. W. De Jong, G. H. Koëter & D. S. Postma
The significance of airway responsiveness in the onset and evolution of chronic obstructive pulmonary disease

Original articles:

- 1120 C. P. Sandiford, A. S. Thatham, R. Fido, J. A. Welch, M. G. Jones, R. D. Tee, P. R. Shrewry & A. J. Newman Taylor
Identification of the major water/salt insoluble wheat proteins involved in cereal hypersensitivity
- 1130 R. Sánchez-Monge, G. García-Casado, C. López-Otin, A. Armentia & G. Salcedo
Wheat flour peroxidase is a prominent allergen associated with baker's asthma
- 1138 A. Spanvello, G. B. Mmigliori, A. Sharara, L. Ballardini, P. Bridge, P. Pisati, M. Neri & P. W. Ind
Induced sputum to assess airway inflammation: a study of reproducibility

- 1145 H.-S. Park & D.-H. Nahm
Prognostic factors for toluene diisocyanate-induced occupational asthma after removal from exposure
- 1151 J. F. Miles, G. M. F. Garden, W. S. Tunnicliffe, R. M. Cayton & J. G. Ayres
Psychological morbidity and coping skills in patients with brittle and non-brittle asthma: a case-control study
- 1160 G. Ciprandi, M. Tosca, V. Ricca, G. Passalacqua, A. M. Riccio, M. Bagnasco & G. W. Canonica
Cetirizine treatment of rhinitis in children with pollen allergy: evidence of its antiallergic activity
- 1167 S. Molet, P. Gosset, P. Lassalle, W. Czarlewski & A.-B. Tonnel
Inhibitory activity of loratadine and descarboxyethoxyloratadine on histamine-induced activation of human endothelial cells
- 1175 G. Ciprandi, C. Pronzato, V. Ricca, G. Passalacqua, M. Danzig & G. W. Canonica
Loratadine treatment of rhinitis due to pollen allergy reduces epithelial ICAM-1 expression
- 1184 J. B. Slunt, E. A. Taketomi & T. A. E. Platts-Mills
Human T-cell responses to Trichophyton tonsurans: inhibition using the serum free medium Aim V
- 1193 K.-E. Kim, A. Rosenberg, T. Lemke, J. Calderon, S. Rich & M. N. Blumenthal
B-cell epitopes recognized by IgE from patients sensitive to Amb a 5
- 1203 T. Caballero, C. Pascual, M. C. García-Ara, J. A. Ojeda & M. Martín-Esteban
*IgE crossreactivity between mugwort pollen (*Artemisia vulgaris*) and hazelnut (*Albellana nux*) in sera from patients with sensitivity to both extracts*
- 1212 G. M. Cuhna, C. K. Naspitz, F. Macedo-Soares, O. M. Amâncio & S. Jancar
Malnutrition and experimental lung allergy
- 1219 M. Fujimura, N. Songür, Y. Ishiura, K. Mizuhashi, S. Myou & T. Matsuda
Role of leukotrienes in post-allergic propranolol-induced bronchoconstriction in guinea-pigs
- 1227 Book reviews
- 1229 Forthcoming meetings
- 1230 Forthcoming articles

Volume 27 Number 11 November 1997

Editorial:

- 1231 S. H. Arshad
Development of allergic disease in children

- 1234 M. Halonen & F. D. Martinez
A deficient capacity to produce interferon-gamma: is it a risk for asthma and allergies?
- 1237 C. Hogg
T-helper polarization in atopic disease – how early does it occur?
- Review:**
- 1240 J. O'B Hourihane
Peanut allergy – current status and future challenges
- Original articles:**
- 1247 M. L. Burr, T. G. Merrett, F. D. J. Dunstan & M. J. Maguire
The development of allergy in high-risk children
- 1254 M. O. Hoekstra, Y. Hoekstra, D. De Reus, B. Rutgers, J. Gerritsen & H. F. Kauffman
Interleukin-4, interferon-gamma and interleukin-5 in peripheral blood of children with moderate atopic asthma
- 1261 A. Yabuhara, C. Macaubas, S. L. Prescott, T. J. Venaille, B. J. Holt, W. Habre, P. D. Sly & P. G. Holt
TH₂-polarized immunological memory to inhaled allergens in atopics is established during infancy and early childhood
- 1270 G. Smedje, D. Norbäck & C. Edling
Asthma among secondary schoolchildren in relation to the school environment
- 1279 W. A. Shaikh
Immunotherapy vs inhaled budesonide in bronchial asthma: an open, parallel, comparative trial
- 1285 M. N. Kolopp-Sarda, D. A. Moneret-Vautrin, B. Gobert, G. Kanny, M. Brodschii, M. C. Bene & G. C. Faure
Specific humoral immune responses in 12 cases of food sensitization to sesame seed
- 1292 P. Maestrelli, P. Occari, G. Turato, S. A. Papiris, A. Di Stefano, C. E. Mapp, G. F. Milani, L. M. Fabbri & M. Saetta
Expression of interleukin (IL)-4 and IL-5 proteins in asthma induced toluene diisocyanate (TDI)
- 1299 E. Jensen-Jarolim, A. Leitner, R. Hirschehr, D. Kraft, B. Wüthrich, O. Scheiner, J. Graf & C. Ebner
Characterization of allergens in Apiaceae spices: anise, fennel, coriander and cumin
- 1307 J. A. Asturias, M. C. Arilla, N. Gomez-Bayon, J. Martinez, A. Martinez & R. Palacios
Cloning and high level expression of Cynodon dactylon (Bermuda grass) pollen profilin (Cyn d 12) in Escherichia coli: purification and characterization of the allergen
- 1314 A. Renström, S. Gordon, P. H. Larsson, R. D. Tee, A. J. Newman Taylor & P. Malmberg
Comparison of a radioallergosorbent (RAST) inhibition method and a monoclonal enzyme linked immunosorbent assay (ELISA) for aeroallergen measurement
- 1322 C. R. Baumgarten, A. O'Connor, D. Dokic, K. D. Schultz & G. Kunkel
Substance P is generated in vivo following nasal challenge of allergic individuals with bradykinin
- 1328 J. D. A. Macleod, D. F. Anderson, S. M. Baddeley, S. T. Holgate, J. I. McGill & W. R. Roche
Immunolocalization of cytokines to mast cells in normal and allergic conjunctiva
- 1335 C. Fratazzi & C. Carini
A new role for interleukin-7 in the induction of LFA-1 and VLA-4 adhesion molecules in Phorbol 12-myristate 13-acetate activated CD4⁺ CD23⁺ T-cell subset
- 1344 J. S. Erjefält, M. Korsgren, M. C. Nilsson, F. Sundler & C. G. A. Persson
Association between inflammation and epithelial damage-restitution processes in allergic airways in vivo
- 1356 Notice of Duplicate Publication
- 1357 Abstracts of the Annual Meeting of the British Society for Allergy and Clinical Immunology, July 1997
- 1372 Forthcoming meetings
- 1373 Forthcoming articles
- 1375 Announcement

Volume 27 Number 12 December 1997

Editorials:

- 1377 S. Langley-Evans
Fetal programming of immune function and respiratory disease
- 1380 O. M. Kon
CD8⁺ T cells – a role in allergic disease?
- 1383 P. M. Lackie
The impact of allergen on the airway epithelium

Review:

- 1387 G. K. Scadding
Could treating asthma help rhinitis?

Original articles:

- 1394 D. M. Fergusson, J. Crane, R. Beasley & L. J. Horwood
Perinatal factors and atopic disease in childhood

- 1402 N. Meissner, F. Kussebi, T. Jung, H. Ratti, C. Baumgarten, T. Werfel, C. Heusser & H. Renz
A subset of CD8⁺ T cells from allergic patients produce IL-4 and stimulate IgE production in vitro
- 1412 C. Hayden, E. Pereira, P. Rye, L. Palmer, N. Gibson, M. Palenque, I. Hagel, N. Lynch, J. Goldblatt & P. Lesouëf
Mutation screening of interferon-gamma (IFN γ) as a candidate gene for asthma
- 1417 C. E. H. Grattan, D. Walpole, D. M. Francis, N. Niimi, G. Dootson, S. Edler, M. F. Corbett & R. M. Barr
Flow cytometric analysis of basophil numbers in chronic urticaria: basopenia is related to serum histamine releasing activity
- 1425 A. Romano, M. J. Torres, J. Fernandez, J. M. Vega, C. Mayorga, J. Garcia & M. Blanca
Allergic reactions to ampicillin. Studies on the specificity and selectivity in subjects with immediate reactions
- 1432 J. Mullol, E. López, J. Roca-Ferrer, A. Xaubet, L. Pujols, J. C. Fernández-Morata, J. M. Fabra & C. Picado
Effects of topical anti-inflammatory drugs on eosinophil survival primed by epithelial cells. Additive effect of glucocorticoids and nedocromil sodium
- 1442 M. T. Montero, C. López, J. A. Jiménez & J. Subiza
Characterization of allergens from Trisetum paniceum pollen: an important aeroallergen in Mediterranean continental climatic areas
- 1449 T. Kanbe, K. Utsunomiya & A. Ishiguro
A crossreactivity at the immunoglobulin E level of the cell wall mannoproteins of Candida albicans with other pathogenic Candida and airborne yeast species
- 1458 J. S. Erjefält, M. Korsgren, M. C. Nilsson, F. Sundler & C. G. A. Persson
Prompt epithelial damage and restitution processes in allergen challenged guinea-pig trachea in vivo
- 1471 P. Stjärne, C. Agusti, L. O. Cardell, S. Wagstaff & J. A. Nadel
A method for canine nasal mucosa superfusion, in vivo; evidence that pseudomonas-induced neutrophil migration is inhibited by α_2 -adrenoceptor agonist
- 1477 I. Katayama, K. Igawa, K. Minatohara & K. Nishioka
Topical glucocorticoid augments IgE-mediated passive cutaneous anaphylaxis in Balb/C mice and mast cell deficient WBB6F1 v/v mice
- 1484 Forthcoming meetings
- 1484 Forthcoming articles
- 1486 Announcement
- 1487 Acknowledgements
- 1490 Author index

